

INJURY

FRACTURES—COMPOUND

12

Start Artificial Respiration Immediately


Apply Pressure 12 to 15 Times per Minute

Loosen tight clothing, neck.

Little finger opposite last rib.

Cleanse mouth,
tongue forward.

Loosen tight clothing,
waist.



11. Fractures—Simple
12. Fractures—Compound
13. Fracture—Skull
14. Gas Poisoning (Monoxide)
15. Heat Exhaustion
16. Rupture
17. Shock
18. Snake Bite
19. Sunstroke
20. Wounds

SYMPTOMS

Open wound, bleeding. Bone protruding.

TREATMENT

Bandage wound. Apply splints in line of deformity. Do not straighten.

Insta-Aid
First Aid at a Glance

Produced by

B. F. McDONALD CO.

Manufacturers and Distributors of Safety Equipment

SAN FRANCISCO

LOS ANGELES

HOUSTON

Insta-Aid

First Aid at a Glance



Produced by

B. F. McDONALD CO.


Manufacturers & Distributors of Safety Equipment

SAN FRANCISCO

LOS ANGELES

HOUSTON

INJURY



FAINTING

10

1. Asphyxiation
2. Alcoholic Poisoning
3. Arteries Bleeding
4. Bleeding—Veinous
5. Bleeding—Internal
6. Burns
7. Drowning
8. Dislocations
9. Electric Shock
10. Fainting

Always call a doctor

SYMPTOMS
Face pale. Eyelids droop.
Cold sweat. Pulse weak and rapid.

TREATMENT
Lower head, keep warm. Give
stimulants.

REMEMBER

- Locate injury.
- Be calm.
- Release tourniquet every 20 minutes.
- Remove clothing.
- Do not touch wounds with fingers.
- Do not move patient unnecessarily.
- Do not neglect shock.
- Do not let bleeding go unchecked.

Arteries and Points of Pressure
for Controlling Hemorrhages

COPYRIGHT 1932 B. F. McDONALD CO.